

VERSETTA STONE®

STONE SIDING



The beauty of stone, the simplicity of siding.

WHAT IS VERSETTA STONE®?

Versetta Stone® is a stone veneer siding panel that is mortarless and cement-based. Its panelized design is installed with mechanical fasteners, allowing carpenters and contractors to recreate the beauty and craftsmanship of authentic stone masonry using nails or screws.


For over 50 years, Boral® has worked to build a reputation for quality, authenticity and design by consistently improving and perfecting the production process for manufactured stone veneer, becoming the most recognized brand in the industry. With a combination of lightweight concrete, basic aggregate, water, and mineral oxide pigments, the master craftsmen can not only mimic the look of natural stone, but also improve upon it with more consistent colour, quality and weight. From this knowledge, expertise and dedication to innovation comes Versetta Stone® – a new, mortarless stone veneer with a modern installation method.

Shown on cover: Ledgestone, Mission Point


WHY CHOOSE VERSETTA STONE®?



QUALITY



SYSTEM



SELECTION



SPEED

From new construction to remodeling, exterior facades to stunning interiors, Versetta Stone® adds the beautiful detail of traditional stone masonry to residential and commercial buildings. With a modern installation method, Versetta Stone offers a complete system founded on quality, selection, and speed.

A REPUTATION FOR QUALITY, PERFORMANCE, AND INNOVATION

- Tested and approved to rigorous building code standards†
- Class A Fire Rating†
- Withstands freezes, thaws, normal winds and heat†
- NAHB Green Approved Product
- Minimum of 50% recycled content as validated by UL Environment™
- ICC Evaluation Service Report ESR-2859



2 FT²
Per Panel


110 MPH
Wind Resistance†

50-YEAR
Limited Transferable
Warranty

†See Versetta Stone® Product Data Sheet for proprietary test results, located at VersettaStone.ca

Tight-Cut, Sterling

THE VERSETTA STONE® SYSTEM



Universal Corner

36" x 9-1/2"
1" to 2-1/4" (nominal) Thickness
8" Exposure



Flat Panel

36" x 9-1/2"
1" to 2-1/4" (nominal) Thickness
8" Exposure



J-Channel

10' Length
Available in Taupe only



Starter Strip

10' Length
Available in Taupe only



FLAT PANEL

The main component of the Versetta Stone® system, the Flat Panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nail strip* that allows for easy installation with mechanical fasteners.

*Includes a 60-year corrosive resistant warranty.



UNIVERSAL CORNER

The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners. The panels must be cut to create right and left panels.

FROM START TO FINISH, THE COMPLETE SYSTEM FOR YOUR NEXT PROJECT



Tight-Cut, Terra Rosa



5

Wainscot Cap/Sill

36" x 3-1/2"
2.6" Exposure / 3" Thickness
Available in Taupe & Charcoal



Trim Stone

36" x 9-1/2"
8.2" Exposure
Available in Taupe & Charcoal



Receptacle Box

8" x 6"
1-3/4" Thickness
Available in Taupe only



6

Light Box

10" x 8"
1-3/4" Thickness
Available in Taupe only



Textured Finishing Adhesive

Available in Taupe & Charcoal

Mortarless panels are designed for quick and easy installation using mechanical fasteners.





Mission Point



Plum Creek



Sand



Sterling



Terra Rosa





Northern Ash



LEDGESTONE

Similar to dry stack or sandstone, the rugged texture and purposeful irregularity offers a well-worn look that suggests years in the elements.



Plum Creek



Mission Point



Plum Creek



Sand



Sterling



Terra Rosa



Northern Ash



TIGHT-CUT

With the traditional look of Random Ashlar or quarried limestone, this profile fits tightly together to emulate rural 19th century American architecture.



Terra Rosa

CARVED BLOCK

Combines larger stones, in various sizes, with a chiseled texture to mimic split face stone.

Panels are 1-1/2" thick.



Sea Salt

Midnight



For step-by-step instructions, or to access tips and tricks for making installing Versetta Stone® even simpler, watch our installation videos at VersettaStone.ca.



INSTALLS WITH SPEED USING SCREWS OR NAILS

- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen to ensure proper water drainage
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions



Ledgestone, Plum Creek



All things Stone ... and more

©2020 CSI. All rights reserved. 11/20